

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10573651" or "11794823"	US-PGPUB; USPAT; USOCR	SAME	ON	2008/10/24 12:39
S2	1	"5780786".pn.	US-PGPUB; USPAT; USOCR	SAME	ON	2008/10/24 12:43
S3	11877	(table same (speed or velocity or acceleration) same pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/24 14:30
S4	32	S3 and "187".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/24 14:30
S5	2465	(187/293,295,296,380,391).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/24 14:44
S6	5	S5 and (temperature same overload\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/24 14:44
S7	8	("4418795" "4512442" "4700810" "4930604" "5257176" "5616894" "6330935" "6984950").PN. OR ("7344004").URPN.	US-PGPUB; USPAT; USOCR	SAME	ON	2008/10/24 14:45
S8	2	("2001/0045326").URPN.	USPAT	SAME	ON	2008/10/24 14:46
S9	207	(temperature with control\$3 with elevator).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/24 14:48
S10	45	S9 and "187".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/24 14:48
S11	3	calculat\$3 same (predict\$3 or future) same (thermal or temperature) same state same (elevator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/26 12:43

S12	4	load same speed same distance same time same predict\$3 same temperature same (elevator or car)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/26 13:12
S13	5	load same speed same distance same predict\$3 same temperature same (elevator or car)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/26 13:13
S14	2670	speed same distance same load same (elevator or car)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/26 13:13
S15	2665	S14 not S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/26 13:13
S16	317	S15 and "187".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/26 13:14
S17	40	S16 and temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/26 13:14
S18	0	speed same patternsame distance same load same (elevator or car)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/26 13:14
S19	104	speed same pattern same distance same load same (elevator or car)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/26 13:14
S20	31	S19 and "187".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/26 13:15

S21	1	"187"/\$.ccls. and ((predictively or predict\$3) same (temperature or thermal) same overload\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/27 10:14
S22	0	"187"/\$.ccls. and ((predictively or predict\$3) same (temperature or thermal) same (overvoltage or overcurrent))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/27 10:15
S23	227	((predictively or predict\$3) same (temperature or thermal) same (overvoltage or overcurrent or overload\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/27 10:15
S24	6	S23 same (elevator or car)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/27 10:15
S25	33	(estimat\$3 same (continuous or continu\$3 or future) same (temperature or thermal) same (overvoltage or overcurrent or overload\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/27 10:17
S26	0	S25 and "187".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/27 10:17
S27	1	S25 and (elevator or car)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/27 10:18
S28	4	(estimat\$3 same (temperature or thermal) same (overvoltage or overcurrent or overload\$3)) same ("187".clas. or elevator or car)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/27 10:18
S29	18	(estimat\$3 same (temperature or thermal) same (overvoltage or overcurrent or overload\$3)) and ("187".clas. or elevator or car)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/27 10:19

S30	0	temperature same (model or pattern) same (overload\$3 or overvoltage or overcurrent) same ((post-drive) or (post with driv\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/27 10:26
S31	47	temperature same (model or pattern) same ((post-drive) or (post with driv\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/27 10:26
S32	8	S31 and ("187".clas. or elevator or car)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/10/27 10:27

1/30/2009 2:27:17 PM

C:\Documents and Settings\kchan1\My Documents\EAST\Workspaces\10573651_control device for elevator.wsp